





Area of Applications

Traceless's multi-attributes makes it an ideal surface for healthcare facilities, commercial and residential spaces.

COMMERCIAL

In the face of the global COVID-19 pandemic, organisations are entrusted with a greater level of responsibility to provide a safe and sanitised environment for their customers and employees.

Our solution: Traceless antimicrobial laminates that offers long lasting protection against microbes such as bacteria and viruses. These robust laminates are ideal for high traffic areas as their antimicrobial properties do not diminish even with wear and scratches.



Project image courtesy of Visual Dreams

RESIDENTIAL

For lovers of dark décor, keeping your dark furnishing free from visible fingerprints does not have to be a hassle.

Both aesthetic and functional, Traceless enables homeowners to go about their daily activities without worry of leaving behind traces of unsightly fingerprints or bacteria on their homes' surfaces. Common applications includes cabinets, wardrobes, table tops, shelves and feature walls.




Project image courtesy of Artspaze

How Antimicrobial Laminates Are Made

During the impregnation process

- The melamine resin is compounded with antimicrobial additive
- This antimicrobial additive is diluted in both the Overlay layer and in the Decor paper layer




Antimicrobial Certification

Traceless is antimicrobial-certified by SETSCO.

Constantly active, Traceless laminates offer 24/7 protection by reacting and releasing silver ions when its surfaces come in contact with microbes.

Its unique impregnation process and uniform distribution of silver additives on multiple layers of the laminate ensure that its antimicrobial properties remain effective throughout its product life cycle, even with heavy usage.



When microbes come in contact with the laminate's surface, silver contents in the laminates react to release silver ions AG⁺ to eliminate the bacteria.

Bacteria	Inoculums CFU/ml	Uo CFU/ml	Ut CFU/ml	A _t CFU/mI	R	Antibacterial %
E.coli	4.80 x 10 ⁵ (5.68)	$7.50 \times 10^4 (4.88)$	$5.31 \times 10^4 (4.73)$	$6.25 \times 10^{-1} (-0.2)$	4.93	99.99
S.aureus	3.60 x 10 ⁵ (5.56)	9.58 x 10 ⁴ (4.98)	8.06 x 10 ⁴ (4.91)	6.25 x 10 ⁻¹ (-0.2)	5.11	99.999
P.aeruginosa	4.20 x 10 ⁵ (5.62)	8.04 x 10 ⁴ (4.91)	5.19 × 10 ⁴ (4.71)	6.25 x 10 ⁻¹ (-0.2)	4.92	99.99
B.subtilis	2.80 x 10 ⁵ (5.45)	8.75 x 10 ⁴ (4.94)	3.92 × 10 ⁴ (4.59)	5.81 x 10 (1.76)	2.83	99


Conclusion: Traceless samples have passed the Antimicrobial Efficacy Test by obtaining log values greater than 2.0 log reductions in accordance with JIS Z 2801:2012

Collection


Solid



Mocha Brown




Chocolate Brown




Dark Grey CBK 3134 N



Forest Green CMK 3136 T



Deep Ocean CMK 3135 T



Carbon Black CBK 1121 N

Pattern



Umber Premium Leather



Black Leather JBH 1122 S



Wood




Dark Mode Walnut



Red Master Oak QBL 4245 WO



Deep Nonent QBL 4191 AW



Dark BroncoQBL 4165 AW



Wood



Forest Charcoal QBK 1128 W



Dark Forest Oak QBL 776 W



Dark Berry Teak QBL 4131 W



Kyoto Nite QBL 3560 W



Dark High End Walnut QBL 3711 W

Project image courtesy of D'Marvel Scale

SINGAPORE

ADMIRA PTE LTD

HEADQUARTERS

Trendspace #02-02/03 5 Sungei Kadut Street 2 Singapore 729227

T: +65 6368 0123 F: +65 6362 9600 marketing@admira.sg

SHOWROOM THE LIBRARY Vertex #01-43/44 33 Ubi Avenue 3 Singapore 408868

T: +65 6570 3000

MALAYSIA

ADMIRA LAMINATES SDN BHD

11, Jalan PJS 7/21, Bandar Sunway 46150 Petaling Jaya Selangor, Malaysia

T: +603 5624 1180 F: +603 5624 1097 marketing@admira.my





DISCLAIMER & WARRANTY

Clients are advised to reconfirm the selected designs, corresponding colour codes and material attributes with ADMIRA's representatives prior to ordering. ADMIRA will not be responsible for any claims resulting in errors in this catalogue, or from the sample selection process ADMIRA ensures that its surface products are reasonably free of defects upon delivery with compliance to its strict material properties and quality controls Customers are advised to examine the HPI quality before installation for any noticeable manufacturing defects. Should there be any inherent defects not due to mishandling or improper installation, ADMIRA's liability wolf be limited to the replacement of products only Colours and pattern of the laminate sheets in this catalogue and on our digital platforms may vary from actual laminate pieces.